

ORDERING CODES

0 Table / Table 3 block with common check valve
 2 number of spools
 P40 directional control valve type...
 R inlet high pressure - right
 1 Table / Table 4 way of distribution / parallel or.../
 A Table / Table 5 first spool distribution type
 1 Table / Table 6 spool control / dedant and etc./
 A 1 second spool distribution type
 1 spool control / dedant and etc./
 G KZ1 T ports / treads / general operation feature
 with "teton"
 H Table / Table 8 operation feature / pneumatic,.../
 E Table / Table 7 with electric switch
 C2 Table / Table 11 high pressure carry over
 11 Table / Table 12 connection ports in use

Table / Table 1

	A	B	C	D	P1	P2	T1	T2
P40	60	80	85	80	+	-	+	-
02P4C	60	80	129	97	+	+	+	+
03P4C	60	80	164	132	+	+	+	+
04P4C	60	80	199	167	+	+	+	+
05P4C	60	80	234	202	+	+	+	+
06P4C	60	80	269	237	+	+	+	+
07P4C	60	80	304	272	+	+	+	+
2P40	60	80	129	97	+	+	+	+
3P40	60	80	164	132	+	+	+	+
4P40	60	80	199	167	+	+	+	+

Table / Table 2

spool control	E	F
1; 4; 5; 6; 7; 8; 9; 10; 11;	40	193
2; 3;	72	225
16	+	+

Table / Table 3

code	Number of spools
	1
02, 2	2
03, 3	3

Table / Table 4

code	way of distribution
1	parallel
2	tandem(series parallel)



my hydraulik GmbH & Co KG
 Niggenkamp 4
 D 59368 Weme

Tel: +49 2389 77980-0
 Fax: +49 2389 77980-29
 Homepage: <http://www.my-hydraulik24.com>
 E-Mail: info@my-hydraulik24.com



Table / Tablo 5

code kod	spool type
A	
B	
C	
D	
E	
F	
G	
H	
M	
N	
O	
P	
Q	
R	
S	
T	
* K	
** L	

Table / Tablo 6

code kod	spool control
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
* 13	
* 16	
** 13R	
** 12	

Table / Tablo 7

code kod	incorporated microswitch	
E		microswitch type Omron-V 16S I C5

Table / Tablo 8

code kod	operation feature / operasyon özelliği	
P		on-off pneumatic control; 5-10 bar; ports G1/4
H		on-off hydraulic control; pn = 5-20 bar; ports G1/4

Table / Tablo 9

code kod	Ports (threads)			
	P	A ; B	T	N
H	M22x1.5	M18x1.5	M22x1.5	M22x1.5
G	G1/2	G3/8	G1/2	G1/2
S	7/8-14UNF	3/4-16UNF	7/8-14UNF	7/8-14UNF

Table / Tablo 10

code kod	feature	code kod	feature	code kod	feature
KZ		KY		KI	
KZ1		KY1		KI1	
KZD		KYQ		KIQ	
KZ01		KY01		KI01	
-	without hand control				

Table / Tablo 11

code kod	feature	symbol
C	Closed center	
C1	Part for power beyond sleeve (carry over)	M22x1.5
C2	Part for power beyond sleeve (carry over)	#14 mm M22x1.5
-	Without part for pressure carry over	G 1/2
X	Power beyond over to tank	

Table / Tablo 12

code kod	Used connection ports
11	P1 ; T1
12	P1 ; T2
21	P2 ; T1
22	P2 ; T2

my-hydraulik24.com


Hydraulik einfach online kaufen.

my hydraulik GmbH & Co KG
Niggenkamp 4
D 59368 Weme


Tel.: +49 2389 77980-0
Fax: +49 2389 77980-29
Homepage: <http://www.my-hydraulik24.com>
E-Mail: info@my-hydraulik24.com



REMOTE CONTROLS




P40 A1G spool valve V1(I= . . .)+ cable 3047 control body



P40 A1G spool valve V2KZ1(I= . . .)+ cable 3047 control body

Technical specifications			
	3047	3076	3077
Stroke	13+13 mm	13+13 mm	13+13 mm
Max. load	45 kg	45 kg	45 kg
Level ratio	10:1	10:1	10:1
Lock in neutral	No	No	Yes
Antireverse lock	No	Yes	No
Body colour	Black	Black	Black
Cables type	Heavy Duty	Heavy Duty	Heavy Duty
Operating temperature	-40/+80C	-40/+80C	-40/+80C





2 holes to mounting stackable

High solidity controls for easy mounting on every type of distributor. They can be mounted stand alone or packed together. They use push-pull heavy duty cables that provide a positive smooth operating lever and are manufactured in three different models to meet different needs of Clients.




JOYSTICK "++"


his control gives the possibility to operate, at the same time two spool with a "++" movement



standart versiyon 1





standart versiyon 2



standart versiyon 3



standart versiyon 4



Way of ordering / Sipariş kodları
 without joystick with joystick
 02P40 1A1A1GKZ1 02P40 1(A1A1)(js+3)G



my hydraulik GmbH & Co KG
 Niggenkamp 4
 D 59368 Weme

Tel.: +49 2389 77980-0
 Fax: +49 2389 77980-29
 Homepage: <http://www.my-hydraulik24.com>
 E-Mail: info@my-hydraulik24.com

